आयुक्त का कार्यालय (एन एस - II)

OFFICE OF THE COMMISSIONER OF CUSTOMS NS-II

आर टी आई कक्ष , बी-401, जवाहरलाल नेहरू सीमाशुल्क भवन

RTI CELL (EXPORT), B-401, JAWAHAR LAL NEHRU CUSTOM HOUSE,

न्हावा शेवा, जिला रायगड - महाराष्ट्र 400707

NHAVA -SHEVA, DIST- RAIGAD, MH - 400 707

F.no- GEN/RTI/APP/378/2026-RTI-O/o-Commr-Cus-Nhava Sheva-II Date- 19.02.2026

To,
Shri Vimal Kumar Srivastva
6th floor, B-wing, JNCH NHava Sheva

Sir,

Subject: RTI application bearing Reg. No- CCUM2/R/E/26/00010 dated 24.01.2026, filed by Shri Vimal Kumar Srivastva seeking information under RTI Act, 2005 - reg.

Please refer to your RTI application bearing Reg. No- CCUM2/R/E/26/00010 dated 24.01.2026, filed by Shri Vimal Kumar Srivastva seeking information under RTI Act, 2005.

1. Based on information provided by the concerned section, JNCH, Nhava Sheva wherein, reply to the information sought by you is as under:-

   a. Point 1-3: As per available records with this office, no such data has been found.

   b. Point 4: No specific record/information in this office indicating the particular section or authority formally entrusted with the overall maintenance of drinking water facilities in JNCH. However, it is informed that the CHS Section monitors and oversees the water supply and related aspects in JNCH.

   c. Point 5: No such information available.

2. Accordingly, the RTI application dated 24.01.2026, filed by you is disposed off.

3. An appeal against this reply under Section 19 of the Right to Information Act, 2005, can be filed with the Appellate Authority, Shri Raghu Kiran B, Commissioner of Customs(In Situ), A-704, 7th floor,, JNCH, Nhava-Sheva, Tal- Uran, Dist- Raigad, Maharashtra- 400 707, within 30 days of receipt of this reply.

Yours sincerely,

19/01

(Saroj Kumar Sharma)

Dy. Commissioner of Customs
NS-II, JNCH