



OFFICE OF THE COMMISSIONER OF CUSTOMS (NS-I, III & V),
मूल्यनिरूपण मुख्य(vk;kr)APPRAISING MAIN (IMPORT),
जवाहरलाल नेहरू सीमाशुल्क भवन, न्हावा शेवा, ता. उरण,
JAWAHAR LAL NEHRU CUSTOM HOUSE, NHAVA-SHEVA, TAL-URAN,
जिला रायगड /RAIGAD-400707, महाराष्ट्र MAHARASHTRA
(e-mail:appraisingmain.jnchimp@gmail.com; Telephone No.022-27244979)

F.No. S/22-Gen-402/2017-18/ AM(I)

Date :- 22/01/2019

STANDING ORDER NO. 02/2019

Subject :- Entry of Test Report in CRCL Test Module – regarding.

Attention of officers and concerned staff is invited to the Standing Order No. 37/2015 dated 15.09.2015 and Public Notice No. 71/2015 dated 15.09.2015 on the instruction of new CRCL Test Module in ICES 1.5.

2. It has been observed that the CRCL Test Module in ICES 1.5 is not being used by the officers and the test reports are not being entered/filed in the system for all the consignment subjected to test by DYCC/CRCL, JNCH.

3. All officers are hereby directed to mandatorily use CRCL test module for all the samples forwarded to DYCC/CRCL, JNCH for testing in accordance with the procedure prescribed vide Standing Order No. 37/2015, dated 15.09.2015

Sd/-

(M.R.Mohanty)

Commissioner of Customs (NS-I).

Copy to:

1. The Chief Commissioner of Customs, Mumbai Zone-II, JNCH.
2. The Commissioner of Customs, NS-G/ NS-I/ NS-II / NS-IV / NS-V, JNCH.
3. All Additional / Joint Commissioners of Customs, JNCH.
4. All Deputy / Assistant Commissioner of Customs, JNCH.
5. All Sections / Groups of NS-G, NS-I, NS-II / NS-III/ NS-Audit / NS-V, JNCH.
6. Representative of BCBA / FIEO for information and circulation among their members for information.
7. AC/DC, EDI for uploading on JNCH website immediately.

Standing Order No. 37/2015 dated 15.09.2015 and Public Notice No. 71/2015 dated 15.09.2015 on the instruction of new CRCL Test Module in ICES 1.5. had been issued, however, it was observed that the CRCL Test Module in ICES 1.5 has not been used scrupulously by the concerned officer and the test reports are not being entered/filed in the system for all the consignment subjected to test by DYCC/CRCL.

As per the instructions, all officers are required to mandatorily use CRCL test module for all the samples forwarded to DYCC/CRCL for testing in accordance with the procedure prescribed vide Standing Order No. 37/2015 dated 15.09.2015.

In view of the above and as directed, draft Standing Order for retrieval of the Standing Order No. 37/2015 dated 15.09.2015 is prepared and placed opposite.

File is put up for approval and sign please.

-

0 to December 2018 may be treated as "NIL."

This issues with the approval of the Commissioner of Customs, NS-I.

Yours faithfully,

(Shashank Dwivedi)
Jt. Commissioner of Customs (In-situ)
Appraising Main (Import)